

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8900	(375/239 375/130 375/135 375/146 375/295- 296 375/309 375/312 375/377 702/66).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:06
L2	2	(first near coil) with (capacitor or capacitance) with between with (second near coil) same (frequency \$1response or (frequency near response))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:09
L4	114	((coil) near2 first) with ((coil) near2 second) same (op \$1amp or opamp or (operational near amplifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:14
L6	348	((coil or inductor or impedance or impedence) near2 first) with ((coilr or inductor or impedance or impedence) near2 second) same (op\$1amp or opamp or (operational near amplifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:15

L7	63	((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier)) same (frequency or spectrum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:16
L8	0	((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier)) and anritsu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:19
L9	27	((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier)) and ((frequency or spectrum) near2 (control or adjust or shap\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:32

L10	0	((coil near2 first) same (coil near2 second) with capacitor with bewteen) same (op\$1amp or opamp or (operational near amplifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:33
L12	6	((coil near2 first) same (coil near2 second) with capacitor with between) same (op\$1amp or opamp or (operational near amplifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:33
L14	119	Shiratsuchi near Satoru Fujinuma near Kazuhiro Saito near Sumio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:33
L16	2	((coil or impedance) near2 first) same ((coil or impedance) near2 second) same (capacitor or capacitance) and (op\$1amp or opamp or (operational near amplifier)) same ((composite or combining) near2 circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:34

L18	13	((coil or impedance) near2 first) same ((coil or impedance) near2 second) same (capacitor or capacitance) and (op\$1amp or opamp or (operational near amplifier)) and ((composite or combining) near2 circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:34
L20	22	((first or input) near (coil or impedance)) with (capacitor or capacitance) with between with ((second or output) near (coil or impedance)) same (op\$1amp or opamp or operational \$1amplifier or operational \$1amplifier or (operational near amplifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:34
L22	3	((coil or impedance) near2 first).clm. and ((coil or impedance) near2 second). clm. and capacitor.clm. and (op\$1amp or opamp or (operational near amplifier)).clm. and (offset near (adjust or adjustment or adjusting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:47

L24	27	((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier))and ((frequency or spectrum) near2 (control or adjust or shap\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:48
L25	48	((coil or inductor or impedance or impedance) near2 first) with ((coil or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier))and ((frequency or spectrum) near2 (control or adjust or shap\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 12:48
L32	20	Shiratsuchi near Satoru Fujinuma near Kazuhiro Saito near Sumio and coil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:04
L33	12	Shiratsuchi near Satoru Fujinuma near Kazuhiro Saito near Sumio and ((frequency or spectrum) near2 (control or adjust or shap \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:06

L35	43	anritsu and ((frequency or spectrum) near2 (control or adjust or shap\$3)) and (coil or inductor or impedance or impedence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:07
L36	7	anritsu and ((frequency or spectrum) near2 (control or adjust or shap\$3)) and (coil or inductor or impedance or impedence) and (op\$1amp or opamp or operational \$1amplifier or operational \$1amplifier or (operational near amplifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:07
L40	0	38 and 39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:54
L41	5	(add or add\$3 or combine or combin\$4 or composite or sum or summ\$3) near3 ("DC" or direct\$1current or (direct near current)) near2 (term or component) and anritsu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:55

L42	34	(add or add\$3 or combine or combin\$4 or composite or sum or summ\$3) near3 ("DC" or direct\$1current or (direct near current)) near2 (term or component) and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 13:56
-----	----	---	---	----	----	---------------------

6/ 9/ 2009 2:24:13 PM

C:\ Documents and Settings\svlahos\ My Documents\ EAST\ Workspaces\ 10579385.
wsp